Gimoti® (metoclopramide) nasal spray

Only available through ASPN Pharmacies



ePrescribe to ASPN Pharmacies

ZIP: 07932

NCPDP: 3147863 NPI: 1538590690

Save "ASPN Pharmacies" in your EHR

The following information is helpful to include for the prior authorization:

- Diagnosis
- Relevant medical history
 (eg, tried and failed diet
 modifications or medications,
 persistent nausea and
 vomiting, inability to tolerate oral
 medications, prior ER visits)
- Prior patient experience with GIMOTI, if applicable



Phone

Call the prescription in to: 1-844-2GIMOTI (1-844-244-6684)



Fax

Fax the prescription to:

1-888-661-9657

Ask your patients to respond to ASPN to confirm their prescription



Questions? Contact ASPN Pharmacies at 1-844-244-6684 or Gimoti@aspnpharmacies.com.

Use your phone camera to scan the QR code and see Important Safety Information and full Prescribing Information, including Boxed Warning and Medication Guide.



INDICATION

Gimoti® (metoclopramide) nasal spray is indicated for the relief of symptoms in adults with acute and recurrent diabetic gastroparesis.

Limitations of Use

GIMOTI is not recommended for use in pediatric patients, in patients with moderate or severe hepatic impairment, in patients with moderate or severe renal impairment, or in patients concurrently using strong CYP2D6 inhibitors.

BOXED WARNING: TARDIVE DYSKINESIA

- Metoclopramide can cause tardive dyskinesia (TD), a serious movement disorder that is often irreversible. The risk of developing TD increases with duration of treatment and total cumulative dosage.
- Discontinue GIMOTI in patients who develop signs or symptoms of TD.
 In some patients, symptoms may lessen or resolve after metoclopramide is stopped.
- Avoid treatment with metoclopramide (all dosage forms and routes of administration) for longer than 12 weeks because of the increased risk of developing TD with longer-term use.

